



BENTLEY

AADL Cat.# W322

Order Form - AADL
Prices in Canadian Dollars. October 1, 2021

Customer and Order Information

| | | |
|--|------------------|--------------------|
| Purchase Order * | Tag | v.0901 |
| Dealer/Provider Name * | | |
| Purchaser Name and Contact Information * | | |
| Shipping Address * | | |
| User Information (if available) | Weight _____ lbs | Height _____ ft/in |
| | | *required |

Base Chair

| | | |
|---|--|----------|
| <input checked="" type="checkbox"/> 1001000 | Bentley 20° Manual Tilt Wheelchair | \$ 3,735 |
| | Also available: the lightweight Bentley LT with aluminum frame. See separate order form. pdgmobility.com/blt | |

Weight Capacity

| | | |
|---|--|--------|
| Chair Weight Capacity | | |
| <input type="checkbox"/> 1002000 | 250 lbs Capacity Available for 14" to 22" Seat Width. | |
| <input type="checkbox"/> 1002050 | 300 lbs Capacity Available for 14" to 22" Seat Width. | \$ 200 |
| <input type="checkbox"/> 1005006 | 450 lbs Capacity Available for 16" to 32" Seat Width. Requires 20" Composite or 24" Heavy Duty Spoke Wheels. Fixed Axles only. Not compatible with TTDS. | \$ 500 |
| User Weight Range Required for setup of tilt uplift force. | | |
| <input type="checkbox"/> 1002430 | Up to 75 lbs | |
| <input type="checkbox"/> 1002431 | 75 lbs to 100 lbs | |
| <input type="checkbox"/> 1002432 | 100 lbs to 115 lbs | |
| <input type="checkbox"/> 1002433 | 115 lbs to 150 lbs | |
| <input type="checkbox"/> 1002434 | 150 lbs to 200 lbs | |
| <input type="checkbox"/> 1002435 | 200 lbs to 250 lbs | |
| <input type="checkbox"/> 1002436 | 250 lbs to 300 lbs | |
| <input type="checkbox"/> 1002437 | 300 lbs to 375 lbs | |
| <input type="checkbox"/> 1002438 | 375 lbs to 450 lbs | |

Frame Options

| | | |
|----------------------------------|---|--------|
| <input type="checkbox"/> 1002200 | Extended Base with Rear Floor Jacks | \$ 900 |
| | Lifts Rear Wheels off ground for increased stability. Limited ground clearance. Not compatible with Attendant Wheel Lock, HD Anti-Tipper, IV Pole, O2 Holder. | |
| <input type="checkbox"/> 1002300 | Transit Tie Down System (TTDS) | |
| | TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RESNA WC 19. See Owners Manual for complete details. Not compatible Seat Widths greater than 22". Tested to max. Weight Capacity of 300 lbs. | |

Seat Width

Overall chair width is +9.5" with 12/16" Rear Wheels and +10.5" with 20/22/24" Rear Wheels.

| | | |
|---|----------------|--------|
| Standard Seat Widths | | |
| <input type="checkbox"/> 1003014 | 14" Seat Width | |
| <input type="checkbox"/> 1003015 | 15" Seat Width | |
| <input type="checkbox"/> 1003016 | 16" Seat Width | |
| <input type="checkbox"/> 1003017 | 17" Seat Width | |
| <input type="checkbox"/> 1003018 | 18" Seat Width | |
| <input type="checkbox"/> 1003019 | 19" Seat Width | |
| <input type="checkbox"/> 1003020 | 20" Seat Width | |
| <input type="checkbox"/> 1003021 | 21" Seat Width | |
| <input type="checkbox"/> 1003022 | 22" Seat Width | |
| Custom Seat Widths Requires 450 lbs Weight Capacity Frame. Extended delivery lead times may apply. | | |
| <input type="checkbox"/> 1003023 | 23" Seat Width | |
| <input type="checkbox"/> 1003024 | 24" Seat Width | |
| <input type="checkbox"/> 1003025 | 25" Seat Width | \$ 375 |
| <input type="checkbox"/> 1003026 | 26" Seat Width | \$ 375 |
| <input type="checkbox"/> 1003027 | 27" Seat Width | |
| <input type="checkbox"/> 1003028 | 28" Seat Width | \$ 700 |
| <input type="checkbox"/> 1003029 | 29" Seat Width | |
| <input type="checkbox"/> 1003030 | 30" Seat Width | \$ 700 |
| <input type="checkbox"/> 1003031 | 31" Seat Width | \$ 700 |
| <input type="checkbox"/> 1003032 | 32" Seat Width | \$ 700 |

Seat Depth

| | | |
|--|----------------|--------|
| Standard Seat Depths (Adjustable) | | |
| <input type="checkbox"/> 1004016 | 16" Seat Depth | |
| <input type="checkbox"/> 1004017 | 17" Seat Depth | |
| <input type="checkbox"/> 1004018 | 18" Seat Depth | |
| <input type="checkbox"/> 1004019 | 19" Seat Depth | |
| <input type="checkbox"/> 1004020 | 20" Seat Depth | |
| Custom Seat Depths | | |
| <input type="checkbox"/> 1004021 | 21" Seat Depth | |
| <input type="checkbox"/> 1004022 | 22" Seat Depth | \$ 400 |

Frame Color

PDG Premium Colors

- | | | |
|---|--|---|
| <input type="checkbox"/> 1005000 Tracer Red | <input type="checkbox"/> 1005001 Gloss Black Shimmer | <input type="checkbox"/> 1005002 Silver |
| <input type="checkbox"/> 1005003 Fine Texture Black | <input type="checkbox"/> 1005004 Orange Fusion | <input type="checkbox"/> 1005005 Karl's Imagination |
| <input type="checkbox"/> 1005006 Blue Shimmer | <input type="checkbox"/> 1005007 Gloss White | <input type="checkbox"/> 1005008 Dark Titanium |
| <input type="checkbox"/> 1005009 Geyser Green | <input type="checkbox"/> 1005010 Lollypop Blue | <input type="checkbox"/> 1005011 Lollypop Red |
| <input type="checkbox"/> 1005012 Bubble Gum Pink | <input type="checkbox"/> 1005013 Berry Purple | <input type="checkbox"/> 1005014 Daffodil Yellow |

1005200 **Custom Color** Contact PDG for specifications. \$ 300

Armrests

- 1006000 **No Armrests**
- 1006111 **Single Post Height Adjustable Armrests** 8"-11" Range 1006114 10"-14" Range \$ 295
Not compatible with the 450 lbs Weight Capacity Frame.
- 1006211 **Dual Post Height Adjustable Armrests** 8"-11" Range 1006214 10"-14" Range 1006216 12"-16" Range \$ 295
Required for the 450 lbs Weight Capacity Frame.
- 1006100 **Fixed Height Armrests (12")** Single Post 1006200 Dual Post
Full Length Armpad only.
- Armrest Height** If provided, Armrests will be set to this height by PDG. If left blank, the default setting will be used.
Seat Pan to top of Armrest: _____ Does not include height of Armpad
- Armrest Position** Indicate preference for Armrest position. If left blank, the default setting will be used.
In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.
- 1006401 Rear 1006402 Mid 1006403 Front
- 1006310 **Locking Flip-up Armrests** Set at 10" Height 1006311 Set at 11" Height 1006312 Set at 12" Height \$ 295
Not recommended for users with excessive strength or tone.
Not compatible with Fold Down Back, Clothing Guards, Back Upholstery. Available with Full Length and Desk Length Armpads.
- 1006313 Set at 13" Height 1006314 Set at 14" Height

Armpads

- 1007100 **Regular Armpads** Desk Length - 2" x 10" 1007101 Full Length - 2" x 14"
- 1007110 **Wide Armpads** Desk Length - 3" x 10" 1007111 Full Length - 3" x 12" \$ 200
May interfere with wheels in some tilt configurations.
- 1007120 **Gel Armpads** Full Length - 2" x 12" 1007121 Full Length - 3.5" x 12" \$ 135
May interfere with wheels in some tilt configurations.
- 1007130 **Contour Arm Trough with Hand Pad** Right (4.5" x 18") 1007131 Left (4.5" x 18") \$ 125
May interfere with wheels in some tilt configurations.

Armrest Options

- 1007210 **Armrest Wideners** For Single Post Armrests 1007220 For Dual Post Armrests \$ 195
Move Armrests outward by 1" on each side. Do not increase seat size.
May cause tilt interference at lower Seat Height and/or Seat Depth settings.
Limits tilt. Not compatible with 20", 22", or 24" Rear Wheels, Clothing Guards.
- 1007310 **Clothing Guards** For Single Post Armrests 1007320 For Dual Post Armrests \$ 110
Not compatible with Flip-up Armrests, Armrest Wideners.
Available for 10"-14" Height range only.
- 1007400 **Armrest Extensions** 3" Extension - Forward 1007401 3" Extension - Rearward \$ 75
Not compatible with Flip-up or Single Post Armrests.

Seat Pan

| | | |
|----------------------------------|--------------------------------|--|
| <input type="checkbox"/> 1008000 | No Seat Pan | |
| <input type="checkbox"/> 1008001 | Solid Aluminum Seat Pan | Required for 22" Seat Depth. \$ 135 |

Seat Height

Don't forget **Select desired Seat-to-Floor Height** STF Height is adjustable within the range of the chosen Subframe Plate (Low/High).

| Casters | Low | | | | | | High | | | | | | |
|------------|-----|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | RW | 13" | 14" | 15" | 16" | 17" | RW | 15" | 16" | 17" | 18" | 19" | 20" |
| 6" Casters | 12" | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | 12" | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| | 16" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | 20" | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | 20" | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| | 22" | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 22" | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| | 24" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 24" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 8" Casters | RW | 13" | 14" | 15" | 16" | 17" | RW | 15" | 16" | 17" | 18" | 19" | 20" |
| | 16" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | 24" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 24" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Casters

Urethane Casters 8" Casters are compatible only with 16" and 24" Rear Wheels.

| | | | | |
|----------------------------------|------------------------|----------------------------------|------------------------|--------|
| <input type="checkbox"/> 1011061 | 6" x 1.25" Caster size | <input type="checkbox"/> 1011081 | 8" x 1.25" Caster size | |
| <input type="checkbox"/> 1011063 | 6" x 1.50" Caster size | | | \$ 85 |
| <input type="checkbox"/> 1011084 | 8" x 2.00" Caster size | | | \$ 135 |

Pneumatic Casters 8" Casters are compatible only with 16" and 24" Rear Wheels.

| | | |
|----------------------------------|---|--------|
| <input type="checkbox"/> 1011161 | 6" x 1.25" Caster size | \$ 110 |
| <input type="checkbox"/> 1011181 | 8" x 1.25" Caster size | \$ 120 |
| <input type="checkbox"/> 1011184 | 8" x 2.00" Caster size | \$ 150 |
| <input type="checkbox"/> 1011260 | Frog Legs 6" x 1.40" Soft Roll Casters | \$ 95 |
| <input type="checkbox"/> 1011400 | Frog Legs Suspension Forks Not compatible with 12", 20", or 22" Rear Wheels. Requires 6" Soft Roll Caster. | \$ 395 |

Rear Wheels

Composite Wheels

| | | | | | |
|----------------------------------|----------------|----------------------------------|----------------|----------------------------------|----------------|
| <input type="checkbox"/> 1012012 | 12" Wheel size | <input type="checkbox"/> 1012016 | 16" Wheel size | <input type="checkbox"/> 1012020 | 20" Wheel size |
| <input type="checkbox"/> 1012022 | 22" Wheel size | <input type="checkbox"/> 1012024 | 24" Wheel size | | |

Spoke Wheels \$ 75

| | | | | | |
|----------------------------------|----------------|----------------------------------|----------------|----------------------------------|----------------|
| <input type="checkbox"/> 1012120 | 20" Wheel size | <input type="checkbox"/> 1012122 | 22" Wheel size | <input type="checkbox"/> 1012124 | 24" Wheel size |
|----------------------------------|----------------|----------------------------------|----------------|----------------------------------|----------------|

1012224 **24" Heavy Duty Spoke Wheels** \$ 350

Rear Wheel Position Indicate Rear Wheel positioning preference. If left blank, the default setting will be used.
In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.

| | | | | | |
|----------------------------------|------|----------------------------------|-----|----------------------------------|-------|
| <input type="checkbox"/> 1012401 | Rear | <input type="checkbox"/> 1012402 | Mid | <input type="checkbox"/> 1012403 | Front |
|----------------------------------|------|----------------------------------|-----|----------------------------------|-------|

Axle Type

| | |
|----------------------------------|---------------------------------|
| <input type="checkbox"/> 1013000 | Quick Release Rear Axles |
| <input type="checkbox"/> 1013010 | Fixed Rear Axles |

Rear Tires

| | | |
|----------------------------------|---|--|
| <input type="checkbox"/> 1014000 | Urethane Tires | |
| <input type="checkbox"/> 1014010 | Pneumatic Tires | May result in a finished Seat Height 1/2" greater than stated. \$ 60 |
| <input type="checkbox"/> 1014020 | Pneumatic Tires with Flat-Free Inserts | May result in a finished Seat Height 1/2" greater than stated. Not available with Spoke Wheels. \$ 95 |

| Handrims | | Handrims are only available with 20", 22", and 24" Rear Wheels. |
|--------------------------|---|---|
| <input type="checkbox"/> | 1015000 No Handrims | |
| <input type="checkbox"/> | 1015010 Standard Aluminum Handrims | |
| <input type="checkbox"/> | 1015020 Plastic Coated Handrims | \$ 150 |

| Wheel Locks & Brakes | | | | |
|--------------------------|---|---|----------------------|--------|
| User Wheel Locks | | | | |
| <input type="checkbox"/> | 1016010 Push to Lock | <input type="checkbox"/> | 1016020 Pull to Lock | |
| <input type="checkbox"/> | 1016030 Attendant Wheel Locks (Push to Lock) | Not compatible with TTDS or the 300 & 450 lbs Weight Capacity Frames. | | \$ 85 |
| <input type="checkbox"/> | 1016040 User & Attendant Wheel Locks | Available with 20", 22", or 24" Rear Wheels only. Not compatible with Drum Brakes. | | \$ 125 |
| <input type="checkbox"/> | 1016300 Drum Brakes | Dual trigger activation (right/left side activated independently). Available with 20" Rear Wheels only. | | \$ 795 |

| Wheel Lock Options | | | |
|--------------------------|--------------------------------------|---|--------|
| <input type="checkbox"/> | 1016100 Wheel Lock Extensions | Not compatible with Attendant Wheel Lock. | \$ 60 |
| <input type="checkbox"/> | 1016200 Hill Holders | Requires Pneumatic Rear Tires with Flat-Free Inserts. | \$ 450 |

| Anti-Tippers | | | |
|-------------------------------------|--|---|--------|
| <input checked="" type="checkbox"/> | 1017010 Rear Anti-Tippers | Required Safety Option. | \$ 75 |
| <input type="checkbox"/> | 1017020 Front Anti-Tippers | | \$ 795 |
| <input type="checkbox"/> | 1017030 Heavy Duty Rear Anti-Tipper | Provides additional rearward stability for users with excessive movement. Not compatible with Attendant Wheel Locks, Rear Floor Jacks, IV Pole, O2 Holder. | \$ 895 |

| Back Posts | | | | | |
|---------------------------|-----------------------|---|--------------------------|---|---------------------|
| Back Post Style | | | | | |
| <input type="checkbox"/> | 1018010 Push Bar Back | <input type="checkbox"/> | 1018020 Cane Handle Back | Seat Widths of 14"-22" only. Not compatible with Headrest Mounting Plate. | |
| Back Post Height | | Measured from the Seat Pan to the Handle. | | | |
| <input type="checkbox"/> | 1018425 Short (22") | <input type="checkbox"/> | 1018431 Tall (25") | | |
| Seat to Back Angle | | | | | |
| <input type="checkbox"/> | 1019090 Set at 90° | <input type="checkbox"/> | 1019098 Set at 98° | <input type="checkbox"/> | 1019106 Set at 106° |
| <input type="checkbox"/> | 1019114 Set at 114° | <input type="checkbox"/> | 1019122 Set at 122° | | |

| Back Options | | | | |
|--|---|---|--------------------------|----------|
| Angle/Height Adjustable Push Bar Handle | | Not compatible with Headrest Mounting Plate or Cane Handle Back. | \$ 150 | |
| <input type="checkbox"/> | 1019010 Button on Outside | <input type="checkbox"/> | 1019011 Button on Inside | |
| <input type="checkbox"/> | 1019210 10" Backrest Extension | Requires the Angle/Height Adjustable Push Bar Handle. | | \$ 150 |
| <input type="checkbox"/> | 1019212 Headrest Mounting Plate | Not compatible with Backrest Extension, Angle/Height Adjustable Push Bar, Cane Handle Back. Not required if mounting to a solid Back. | | \$ 95 |
| <input type="checkbox"/> | 1019220 Fold Down Back | Not compatible with Reclining Back. | | |
| <input checked="" type="checkbox"/> | 1019230 Spring Back Suspension | Not compatible with Reclining Back. | | |
| <input type="checkbox"/> | 1019240 Seating Dynamics Dynamic Rocker Back Interface | Not compatible with Fold Down Back, Spring Back Suspension, 30° Recline, Cane Handle. Requires Adjustable Tension Upholstery or rigid Backrest. Finished Back Post Height 3" taller than selected Back Post Height. | | \$ 2,995 |

| Back Upholstery | | | | | |
|----------------------------|--|---|------------------------------|--------------------------|---------------------------|
| <input type="checkbox"/> | 1020000 No Back Upholstery | | | | |
| Standard Upholstery | | Not available with Cane Handle Back. | \$ 195 | | |
| <input type="checkbox"/> | 1020418 Short (18" Height) | <input type="checkbox"/> | 1020421 Regular (21" Height) | <input type="checkbox"/> | 1020424 Tall (24" Height) |
| <input type="checkbox"/> | 1020450 Tension Adjustable Upholstery | Height of Upholstery is 16". Not available with Cane Handle Back. | | \$ 295 | |

See next page for more options >

Position of Upholstery Select the desired position of the top of the Upholstery relative to the Seat Pan.

| Style | 22" Back Post | | | | | | | | |
|-------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----|-----|-----|
| | 17" | 18" | 19" | 20" | 21" | 22" | 23" | 24" | 25" |
| Short | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | |
| Regular | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | |
| Tension Adj | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | |

| Style | 25" Back Post | | | | | | | | |
|-------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | 17" | 18" | 19" | 20" | 21" | 22" | 23" | 24" | 25" |
| Short | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Regular | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Tall | | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Tension Adj | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Tilt Activation

Attendant Tilt only Select trigger mounting location below.

- 1023011 Right Back Post 1023012 Left Back Post

User Tilt only Not available on widths greater than 22". Full Length Arm Pads only. Select trigger mounting location below.

\$ 100

- 1023021 Right Armrest 1023022 Left Armrest

Attendant & User Tilt Not available on widths greater than 22". Full Length Arm Pads only. Select trigger mounting locations below.

\$ 195

- 1023031 Right Back Post 1023032 Left Back Post
 1023041 Right Armrest 1023042 Left Armrest

1023110 **Tilt Trigger Extension**

\$ 50

- 1023400 **Power Tilt** 250 lbs Weight Capacity. 20° tilt range. Includes 2 batteries for off-chair charging. pdgmobility.com/power-tilt

\$ 1,795

Minimum Seat Width is 15". Power Tilt is compatible with either O2 Holder or IV Pole on the same chair, not both.

- Toggle Switch 1023421 Installed on Right side 1023422 Installed on Left side
 Button Switch 1023431 Installed on Right side 1023432 Installed on Left side
 Stealth Egg Switch 1023440 Not installed

- Optional for Egg Switch: 1023445 Swing Away Mounting Hardware Not compatible with all Headrest makes and models. \$ 625

Specify Headrest to be used: _____

Recline

- 1023310 **Reclining Backrest (Manual)**

\$ 895

30° maximum recline. Not compatible with Backrest Extension, Cane Handle Back, Spring Back Suspension, Fold Down Back, Tension Adjustable Upholstery, Dynamic Rocker Back. Requires longer Frame. Maximum Seat Depth is 19".

Front Rigging

- 1025000 **No Front Rigging** 1025001 **Sector Blocks only**

Easy-Out™ Front Rigging Effortless insertion and removal. No Hanger Bracket remains on frame. pdgmobility.com/easy-out

- 1025410 Fixed 70° \$ 95

- 1025420 Universal Angle Adjustable (0°-110°) Set at angle: _____ (use increments of 10°) \$ 295

Adjust angle by loosening one bolt. Tool-free leg-length adjustment. Front Rigging can interfere with casters in the 90-110° settings.

Swing Away Front Rigging Legacy Design. Not compatible with Easy-Out.

- 1025130 Swing Away 60° 1025140 Swing Away 70°

- 1025200 Swing Away Elevating Legrests Includes Calf Pads. \$ 375

- 1025300 1" Offset Hangers for Swing Away \$ 75

- 1025110 **Standard Plug In 70° Front Rigging** Legacy Design. Not compatible with Easy-Out.

Footplates

- 1026010 **Composite Footplates**

- 1026020 **Aluminum Angle Adjustable Footplates** \$ 165

- 1026030 **One Piece Fixed Footplate** Available on Plug In Front Rigging only. Requires selection of Composite or Aluminum Angle Adjustable. \$ 350


- 1026040 **One Piece Flip-up Footplate** Requires selection of Composite or Aluminum Angle Adjustable. \$ 395

- 1026050 **Interlocking Angle Adjustable Footplates** Available for Seat Widths up to 21" only. \$ 195

Footrest/Legrest Accessories

| | | | |
|---|---------|--|--------|
| Calf Pads Not compatible with Gel Padding. | | | |
| <input type="checkbox"/> | 1027012 | For Easy-Out™ Front Rigging Includes reinforced premium Calf Pad mount. | \$ 200 |
| <input type="checkbox"/> | 1027010 | For Swing Away Front Rigging | \$ 135 |
| <input type="checkbox"/> | 1027020 | Gel Padding Not compatible with Calf Pad or Easy-Out Front Rigging. | \$ 125 |
| Gel Knee Pads | | | |
| <input type="checkbox"/> | 1027032 | For Easy-Out™ Angle Adjustable Front Rigging | \$ 200 |
| <input type="checkbox"/> | 1027030 | For Swing Away ELR Front Rigging | \$ 100 |
| <input type="checkbox"/> | 1027040 | Length Adjustable Heel Loops | \$ 50 |
| <input type="checkbox"/> | 1027050 | Bodypoint Padded Calf Strap Sizes greater than 22" are not padded. | \$ 195 |
| Miller's Dynamic Footrest Mounts Not compatible with Easy-Out Front Rigging. | | | |
| <input type="checkbox"/> | 1027060 | For Standard Plug In Front Rigging | \$ 445 |
| <input type="checkbox"/> | 1027065 | For Swing Away 70° Front Rigging Not available on 13" STF Height. | \$ 575 |

Front Rigging Extension Tubes

| | | | |
|--|--|--|--------------------------|
| Regular Extension Tubes | | | |
| <input type="checkbox"/> | 1028010 | Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away and Standard Plug In Front Rigging | |
| <input type="checkbox"/> | 1028020 | Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away and Standard Plug In Front Rigging | \$ 75 |
| Extra Strength Extension Tubes (Solid) Available on Plug In Front Rigging only. Not compatible with Easy-Out Front Rigging. | | | \$ 100 |
| <input type="checkbox"/> | 1028110 | Standard (13"-17") | <input type="checkbox"/> |
| | | 1028120 | Long (15"-19") |
|  | Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. | | |
| | Seat Pan to Foot Plates: _____ Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. | | |

Miscellaneous Options

| | | | |
|---|---------|---|--------------------------|
| One-Arm Drive Maximum Seat Width of 22". 24" Composite Wheels with Urethane Tires required. 18" STF minimum. Limits tilt. Not compatible with User & Attendant Wheel Locks, Drum Brakes, Quick Release Rear Axles. | | | \$ 3,500 |
| <input type="checkbox"/> | 1030010 | Installed on Right side | <input type="checkbox"/> |
| | | 1030011 | Installed on Left side |
| <input type="checkbox"/> | 1030050 | Protective Lower Padding | \$ 675 |
| <input type="checkbox"/> | 1030080 | Gel Hip Guides Reduces available Seat Width by 2". | \$ 395 |
| <input type="checkbox"/> | 1030110 | IV Pole Not compatible with HD Anti Tipper, Rear Floor Jacks, Attendant Wheel Locks. | \$ 295 |
| <input type="checkbox"/> | 1030120 | O2 Holder Not compatible with HD Anti Tipper, Rear Floor Jacks, Attendant Wheel Locks. | \$ 395 |
| <input type="checkbox"/> | 1030170 | Adhesive Back Hook Strip, 2" x 30" For Cushion mounting. | \$ 10 |

On-Chair Seating & Positioning

 Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobility.com/seating

Order Notes

Please send your completed order form by email to info@pdgmobility.com or by fax to 877 323 9093.