



MOVE

ORDER FORM - AADL # W114

P.O. number: * _____ Date: _____

Company Name: * _____ Phone: * _____

Purchasing contact: * _____

Clinician/Sales rep/ATP: _____

Email: _____

Marked for: _____

Ship to: * _____

Name: _____

Address: _____

City: _____ Prov: _____

Postal Code: _____

Phone: _____

* Required MA080 English Manual (STD) MA081 Manuel Français Taxes not included

MODEL										
1	WC01	Ultralight MOVE wheelchair aluminum. (265 lb weight capacity)							\$1 395	<input type="checkbox"/>
2	WC09	Heavy duty package (350 Lb weight capacity) ⁴							\$1 070	<input type="checkbox"/>
SEAT WIDTH ³										
3	SW	Seat width:	14" <input type="checkbox"/>	15" <input type="checkbox"/>	16" <input type="checkbox"/>	17" <input type="checkbox"/>	18" ¹ <input type="checkbox"/>	19" ¹ <input type="checkbox"/>	NC	<input type="checkbox"/>
4	SW	Seat width:	20" ¹ <input type="checkbox"/>		22" ² <input type="checkbox"/>				\$295	<input type="checkbox"/>
SEAT DEPTH										
5	SD	Seat depth:	16" <input type="checkbox"/>		17" <input type="checkbox"/>		18" <input type="checkbox"/>		NC	<input type="checkbox"/>
6	SD	Seat depth:	20" <input type="checkbox"/>						\$225	<input type="checkbox"/>

1 - Available with HD option 2 - Only available with HD option [3. Width calculator](#) 4- Seat width of 20" and 22" are no charge with HD option

Move FRONT Seat-to-floor Height - Please select your choice

Fork/Position		4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	12 1/2	13 1/2	14 1/2												
	P2	13	14	15	13 1/2	14 1/2	15 1/2									
5"	P1															
	P2	13	14	15	13 1/2	14 1/2	15 1/2									
	P3	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2						
	P4	14	15	16	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2			
7"	P1							15 1/2	16 1/2	17 1/2	16	17	18			
	P2				15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2			
	P3				16	17	18	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2
	P4	16	17	18	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20
	P5	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS													
7	CA01	Composite wheel w/ PU tire (1" width)	4" <input type="checkbox"/>	5" <input type="checkbox"/>	6" <input type="checkbox"/>	7" <input type="checkbox"/>	8" <input type="checkbox"/>			NC	<input type="checkbox"/>		
8	CA10	Pneumatic 6" x 1 ¼"								\$160	<input type="checkbox"/>		
9	CA11	Pneumatic 8" x 1 ¼"								\$160	<input type="checkbox"/>		
10	CA14	Newton UltraCaster Soft-Roll Composite	4" x 1 ½"								\$98	<input type="checkbox"/>	
11	CA15		5" x 1 ½"								\$98	<input type="checkbox"/>	
12	CA16		6" x 1 ½"								\$98	<input type="checkbox"/>	
13	CA17		4" x 1 ½"							A1*	\$175	<input type="checkbox"/>	
14	CA18	Newton UltraCaster Soft-Roll Aluminum	5" x 1 ½"								A1*	\$185	<input type="checkbox"/>
15	CA19		6" x 1 ½"								A1*	\$195	<input type="checkbox"/>

Move REAR Seat-to-floor Height - Please circle your choice

20"	22"	24"
12"	13"	14"
13"	14"	15"
14"	15"	16"
15"	16"	17"
16"	17"	18"
17"	18"	19"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest											
SWING-AWAY FOOTREST											
16	FR01	60° swing away footrest	13.5 - 17.5" <input type="checkbox"/>	15.5 - 19.5" <input type="checkbox"/>	17 - 21" <input type="checkbox"/>			Set at:*		\$250	<input type="checkbox"/>
17	FR02	70° swing away footrest	13.5 - 17.5" <input type="checkbox"/>	15.5 - 19.5" <input type="checkbox"/>	17 - 21" <input type="checkbox"/>			Set at:*		\$250	<input type="checkbox"/>
FOOTREST OPTIONS											
18	FR09	High mount (footplate attached to the hanger with clamps)	Range: 5 - 13.5"					Set at:*		\$90	<input type="checkbox"/>

* +/- 1/2"

ELEVATING LEGREST (unit)											
The elevating legrest replace the footrest side selected											
19	FR10	Elevating legrest with calf pad, 14" - 22" Length adjustable	Left <input type="checkbox"/>	Right <input type="checkbox"/>				Set at:	A2*	\$390	<input type="checkbox"/>

FOOTPLATES											
20	FP01	Standard - Composite								STD	<input type="checkbox"/>
21	FP02	Newton adjustable angle - Composite							A2*	\$145	<input type="checkbox"/>
22	FP03	Newton adjustable angle - Aluminum							A2*	\$165	<input type="checkbox"/>
FOOTPLATE ACCESSORIES											
23	FP08	Length adjustable heel loop								\$25	<input type="checkbox"/>
24	FP09	Calf strap								\$52	<input type="checkbox"/>

RESIDUAL LIMB SUPPORT FLAT CUSHION (Swing-out, depth, width, height and angle adjustable) - (unit)											
25	FR27	Residual limb support swing-out - flat 6"x8"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>
26	FR28	Residual limb support swing-out - flat 8"x10"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>
27	FR29	Residual limb support swing-out - flat 10"x10"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>
28	FR30	Residual limb support swing-out - flat 10"x14"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>

RESIDUAL LIMB SUPPORT CONTOUR CUSHION (Swing-out, depth, width, height and angle adjustable) - (unit)											
29	FR32	Residual limb support swing-out - contour 6"x8"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>
30	FR33	Residual limb support swing-out - contour 8"x10"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>

Back canes with integrated fixed height push handle

FIXED ANGLE BACK											
31	BC01	8° bend aluminum back cane	16" <input type="checkbox"/>	18" <input type="checkbox"/>	20" STD <input type="checkbox"/>					NC	<input type="checkbox"/>
ADJUSTABLE ANGLE BACK											
32	BC02	8° bend aluminum back cane	16" <input type="checkbox"/>		20" STD <input type="checkbox"/>					\$209	<input type="checkbox"/>
33		Select back cane angle:	90° <input type="checkbox"/>	95° STD <input type="checkbox"/>	100° <input type="checkbox"/>	105° <input type="checkbox"/>	110° <input type="checkbox"/>				

STROLLER HANDLE AND STABILIZER BAR ¹											
34	PH04	Stroller handle (not available with the HD option)							A1*	\$210	<input type="checkbox"/>
35	PH03	Folding stabilizer bar							A1*	\$258	<input type="checkbox"/>

1 - Stroller handle and stabilizer bar can't be combined

*A1 - Client responsibility; A2 - Clinical justification

BACK UPHOLSTERY											
36	BH05	Slip-on Nylon back upholstery								NC	<input type="checkbox"/>
37	BH06	Adjustable tension Nylon back upholstery								\$175	<input type="checkbox"/>
38	BH99	Omit back upholstery								STD	<input type="checkbox"/>

SEAT CUSHIONS											
39	SC99	Omit seat cushion								NC	<input type="checkbox"/>

Rear wheels

ONE ARM DRIVE ¹ *Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims*

40	HR22	One arm drive ²	24"	left <input type="checkbox"/>	right <input type="checkbox"/>				\$1 395	<input type="checkbox"/>	
41	HR98	Omit handrim on opposite side of the One Arm Drive (OAD)								NC	<input type="checkbox"/>

REAR WHEELS

42	RW01	Mag ¹	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>				NC	<input type="checkbox"/>
43	RW02	Newton One - spoke wheel ²	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>				NC	<input type="checkbox"/>
44	RW03	Newton Gravity - ultralight wheel	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>			A1*	\$360	<input type="checkbox"/>

TIRES Available

45	TI01	Soft Urethane 1 1/4 "				20", 22" 24"			STD	<input type="checkbox"/>
46	TI02	Soft Urethane knobby 1 3/8 "				22", 24"			\$130	<input type="checkbox"/>
47	TI04	Soft Urethane - Shox 1"				22", 24"			\$155	<input type="checkbox"/>
48	TI05	Pneumatic 1 3/8 "				20", 22", 24"			\$130	<input type="checkbox"/>
49	TI08	Pneumatic with Airless insert 1 3/8"				22", 24"			\$215	<input type="checkbox"/>
50	TI06	Pneumatic HP - 1"				20", 22", 24"			\$150	<input type="checkbox"/>
51	TI07	Pneumatic HP - Schwalbe Marathon Plus 1"				24"			\$230	<input type="checkbox"/>

1 - HP tires are not compatible with Mag Wheels -use only aluminum or plastic coated handrim

2- Not compatible with Shox tires

Handrims

HANDRIM

52	HR01	Aluminum anodized								STD	<input type="checkbox"/>
53	HR02	Plastic coated ¹								\$160	<input type="checkbox"/>
54	HR07	Newton Air Grip ²		Black					\$150	<input type="checkbox"/>	
55	HR99	Omit handrim								NC	<input type="checkbox"/>

Handrims option

Assembly position for aluminum and Newton AirGrip handrims

56	HR29	Standard Handrim position		Full tab					STD	<input type="checkbox"/>
57	HR30	Narrow Handrim position		Short tab 2 positions					\$25	<input type="checkbox"/>
58	HR31	Super Narrow Handrim		Short tab 2 positions STD <input type="checkbox"/>		Short tab 1 position <input type="checkbox"/>			\$25	<input type="checkbox"/>

1- Only standard handrim position available 2- Not available with Mag wheels

AXLES (0° camber)

59	AX01	Quick release axle								STD	<input type="checkbox"/>
60	AX02	Permanent axle								NC	<input type="checkbox"/>
61	AX03	Quad release axle							A2*	\$170	<input type="checkbox"/>


AXLE PLATE

62	AX04	Amputee adjustable axle plate ¹							A2*	\$250	<input type="checkbox"/>
----	------	--	--	--	--	--	--	--	-----	-------	--------------------------

1 - May limit seat to floor height available

*A1 - Client responsibility; A2- Clinical justification

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance from front of back post to center of axle receiver.

Default setting is at 3/4"

Most stable		Most responsive
AMPUTEE	3/4"	2"
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

WHEEL LOCKS					
63	WL08	Newton Wheel lock - push to lock			STD <input type="checkbox"/>
64	WL02	Pull to lock			NC <input type="checkbox"/>
65	WL04	Newton grade aid push to lock <i>(suggested with pneumatic or high pressure tire)</i>		A2*	\$175 <input type="checkbox"/>
66	WL13 WL14	6" removable extension handle			\$67 <input type="checkbox"/>
67	WL06	Attendant Lock <i>(additional set of wheel lock mounted to the back)</i>		A1*	\$230 <input type="checkbox"/>
68	WL99	Omit wheel locks			NC <input type="checkbox"/>

Armrests							
FLIP BACK ARMREST <i>(Convertible to "T" armrest)</i> ^{1,2}		Height Adjustment			Removable function		
69	AR01	10" Desk length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD	\$380 <input type="checkbox"/>
70	AR02	14" Full length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD	\$380 <input type="checkbox"/>
"T" ARMREST ¹		Height Adjustment					
71	AR03	10" Desk length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>			\$360 <input type="checkbox"/>
72	AR04	14" Full length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>			\$360 <input type="checkbox"/>
GEL ARM PAD							
73	AR12	14" Full Length Arm Pad - Gel Ovation				A1*	\$150 <input type="checkbox"/>
74	AR99	Omit armrest					NC <input type="checkbox"/>

1 - May have a 1/2" adjustment restriction on both limits of the range 2- Not available with attendant lock

POSITIONING BELTS					
75	SB07	Hardware attachment for 2 point seatbelt (1 pair)			NC <input type="checkbox"/>
76	SB03	Additional hardware for 2 extra attachment points <i>(needed for the 4 point seat belt) (1 pair)</i>		A2*	\$13 <input type="checkbox"/>
77	SB99	Omit positioning belt			NC <input type="checkbox"/>

*A1 - Client responsibility; A2- Clinical justification

ACCESSORIES										
78	AC03	Anti tippers							\$115	<input type="checkbox"/>
79	AC27	Tip assist ¹						A1*	\$60	<input type="checkbox"/>
80	AC04	Transit Tie Down (Unoccupied)							NC	<input type="checkbox"/>
81	AC06	Cane carrier	Left <input type="checkbox"/>	Right <input type="checkbox"/>				A1*	\$105	<input type="checkbox"/>
82	AC08	Spoke guards ³	Available: 20", 22", 24"						\$145	<input type="checkbox"/>
83	AC09	Footrest neoprene impact guard (pair) - Black						A1*	\$80	<input type="checkbox"/>
84	AC10	Seat pouch						A1*	\$95	<input type="checkbox"/>
85	AC26	BodyPoint Mobility Bag						A1*	\$135	<input type="checkbox"/>
86	AC23	Newton Backpack						A1*	\$120	<input type="checkbox"/>
87	AC12	Velcro Closing Strap							\$50	<input type="checkbox"/>
88	AC13	Tool kit						A1*	\$50	<input type="checkbox"/>


1 - Cannot be combined with Anti Tippers 2 - May interfere with swing away armrest ; Not available with HD option 3 - Not available with Mag wheels

FRAME COLOR (with black aluminum crossbrace)										
89	FC01	Black <input type="checkbox"/>							NC	<input type="checkbox"/>

*A1 - Client responsibility; A2- Clinical justification

TOTAL									
--------------	--	--	--	--	--	--	--	--	--

Fork and Stem bolt combinations



Notes :

Reference page 12 of the AADL Wheelchair APL for options and catalogue numbers for Category "A" wheelchairs
 Seatbelts: Vendor to Use AADL Generic Parts Pricing & Supplier