





Order Form - AADL

Prices in Canadian Dollars. October 1, 2021
Select store location - AADL Numbers

Calgary - AADL 00000 78000 003

|] | Edmo | nton - | AADL | . 0 | 00 | 00 | 7 | 8(| 000 | 00 |
|---|------|--------|-------------|-----|----|----|---|----|-----|----|

☐ Edmonton - AADL 00000 /8000 001 ☐ Grande Prairie - AADL 0000 665538 001

| Custo | mer and Order Inforr | mation | | | | Grande France - AVIDE C | | |
|------------|--|---------------------|-------------------------|--------------------------|-------------|---|------|---------|
| Purchase | e Order * | | Tag | | | | \ | v.0901 |
| Dealer/P | rovider Name * | | | | | | | |
| Purchase | er Name and Contact Information * | | | | | | | |
| Shipping | g Address * | | | | | | | |
| User Info | ormation (<i>if available</i>) Weight _ | | lbs Heigh | tft/iı | n | | * re | equired |
| | | | | | | | | • |
| Base | Chair | | | | | | | |
| 1101000 | Eclipse Bariatric Manual Whee | Ichair Exten | ded delivery lead time | es may apply. | | | \$ | 3,015 |
| Weigl | nt Capacity | | | | | | | |
| | Chair Weight Capacity | | | | | | | |
| 1102000 | 600 lbs Capacity | | | | | | | |
| 1102100 | 1000 lbs Capacity Not compatible wi | th Transit Tie Do | wn System. | | | | \$ | 300 |
| Frame | Options | | | | | | | |
| 1102300 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | \$ | 395 |
| | TTDS includes 4 factory-installed transport Tested to max. Weight Capacity of 600 lbs | | | | 9. See Owr | ers Manual for complete details. | | |
| Seat | Width | | | Over | all chair w | idth is +8" | | |
| | Seat Widths Seat Width is adjustab | le with the optic | onal Adjustment Kit (so | old separately). | | | | |
| 1103520 | 20" Seat Width | | 22" Seat Width | | | | \$ | 675 |
| 1103524 | 24" Seat Width | 1103526 | 26" Seat Width | | | | \$ | 675 |
| 1103528 | 28" Seat Width | 1103530 | 30" Seat Width | | | | \$ | 875 |
| 1103532 | 32" Seat Width | 1103536 | 36" Seat Width | | | | \$ | 1,100 |
| 1103540 | 40" Seat Width | 1103544 | 44" Seat Width | | 1103548 | 48" Seat Width | \$ | 1,300 |
| 1103599 | Unlisted Seat Width (between sizes) | | Seat Width: | (use increments of 1") |) | Add this fee to the price of the next-bigger size | \$ | 100 |
| (i) | Seat Widths greater than 48" are | available for | Custom Chairs | | | | | |
| Seat | Depth | | | | | | | |
| | Seat Depths (Adjustable) | | | | | | | |
| 1104016 | 16" Seat Depth | 1104017 | 17" Seat Depth | | 1104018 | 18" Seat Depth | | |
| 1104019 | 19" Seat Depth | 1104020 | 20" Seat Depth | | 1104021 | 21" Seat Depth | | |
| 1104022 | 22" Seat Depth | | | | | | | |
| | Custom Seat Depths | | | | | | \$ | 400 |
| 1104023 | 23" Seat Depth | 1104024 | 24" Seat Depth | Not available with TTDS. | | | | |
| Frame | e Color | | | | | | | |
| | PDG Premium Colors | | | | | | | |
| 1105000 | Tracer Red | 1105001 | Gloss Black Shimn | ner 🗆 | 1105002 | Silver | | |
| 1105003 | Fine Texture Black | 1105004 | Orange Fusion | | 1105005 | Karl's Imagination | | |
| 1105006 | Blue Shimmer | 1105007 | Gloss White | | 1105008 | Dark Titanium | | |
| 1105009 | Geyser Green | 1105010 | Lollypop Blue | | 1105011 | Lollypop Red | | |
| 1105012 | Bubble Gum Pink | 1105013 | Berry Purple | | 1105014 | Daffodil Yellow | | |
| 1105200 | Custom Color Contact PDG for spec | cifications. | | | | | \$ | 300 |











| Armre | ests | | | |
|------------------|--|----|---|------|
| 1106000 | | | | |
| | Dual Post Height Adjustable Armrests | \$ | | 295 |
| 1106214 | | 7 | _ | .,,, |
| 1106200 | | | | _ |
| | Armrest Height If provided, Armrests will be set to this height by PDG. If left blank, the default setting will be used. | | | _ |
| 3 | | | | |
| | Seat Pan to top of Armrest: Does not include height of Armpad | | | |
| Armpa | a d s | | | |
| | Regular Armpads | | | |
| 1107100 | Desk Length - 2" x 10" | | | |
| | Wide Armpads May interfere with wheels in some tilt configurations. | \$ | 2 | 200 |
| 1107110 | Desk Length - 3" x 10" | | | |
| | Gel Armpads May interfere with wheels in some tilt configurations. | \$ | 1 | 135 |
| 1107120 | Full Length - 2" x 12" | | | |
| Λ μ μα μ α | | | | |
| | est Options | | | |
| 1107250 | | \$ | | 200 |
| 1107400 | 3" Armrest Extension - Forward | \$ | | 75 |
| Seat P | Pan | | | |
| X 1108001 | | \$ | 1 | 165 |
| | Solid Aldillindin Scatt all | | | |
| Seat H | Height | | | |
| | Front Seat Height Angle Adjustable Foot Plates required for 14" and 15". Front and Rear Height can be max. 1" apart. | | | |
| 1110014 | + 14" STF Front ☐ 1110015 15" STF Front ☐ 1110016 16" STF Front | | | |
| 1110017 | 7 17" STF Front | | | |
| 1110019 | 9 19" STF Front | \$ | 2 | 200 |
| | Rear Seat Height Angle Adjustable Foot Plates required for 14" and 15". Front and Rear Height can be max. 1" apart. | | | |
| 1110114 | 14" STF Rear ☐ 1110115 15" STF Rear ☐ 1110116 16" STF Rear | | | |
| | 7 17" STF Rear 1110118 18" STF Rear | | | |
| 1110119 | 9 19" STF Rear | \$ | 2 | 200 |
| Caster | ers | | | |
| 1111050 | 5" Casters With Heavy Duty Steel Fork | | | |
| | | | | _ |
| Rear V | Wheels | | | |
| 1112224 | 24" Heavy Duty Spoke Wheels | | | |
| <i></i> | Rear Wheel Position Positions 3 and 4 not compatible with TTDS. | | | |
| 3 | In the interest of maintaining chair stabily and avoiding interferance with other chair functions, PDG may not be able to accommodate stated preference. | | | |
| 1113101 | | | | |
| 1113103 | 3 Set at 3 | | | |
| Axle T | Type | | | |
| | Ouick Release Rear Ayles | | | |

Rear Tires

№ 1114000 Urethane Tires

- ☐ Calgary AADL 00000 78000 003 ☐ Edmonton - AADL 00000 78000 001
- ☐ Grande Prairie AADL 0000 665538 001







☐ 1123310 Reclining Backrest (Manual)



| | | | | | , , | | | | | | | | | | | | | | | | |
|---------|---|---------|---------|----------------|-------------|-------------------------|--|-----------|----------|------------|------------|------------|----------|----------|---------|----------|-----|-----|-----|-----|-----|
| Handr | i m s | | | | | | | | | | | | | | | | | | | | |
| 1115000 | No Handrims | | | | | | | | | | | | | | | | | | | | |
| 1115010 | Standard Alur | ninun | n Han | drims | | | | | | | | | | | | | | | | | |
| 1115020 | Plastic Coated | Hand | drims | | | | | | | | | | | | | | | | | \$ | 250 |
| | | | | | | | | | | | | | | | | | | | | | |
| Wheel | Locks | | | | | | | | | | | | | | | | | | | | |
| | User Wheel Lo | cks | | | | | | | | | | | | | | | | | | | |
| 1116010 | Push to Lock | | | | 1116 | 5020 Pu | ll to Lock | K | | | | | | | | | | | | | |
| Wheel | Lock Opt | i o n s | S | | | | | | | | | | | | | | | | | | |
| 1116100 | Wheel Lock Ex | | | | | | | | | | | | | | | | | | | \$ | 60 |
| | Timeer Lock Ly | | 0115 | | | | | | | | | | | | | | | | | | |
| Anti-T | ippers | | | | | | | | | | | | | | | | | | | | |
| 1117010 | Rear Anti-Tipp | oers | Requir | ed Safet | y Option. | | | | | | | | | | | | | | | \$ | 75 |
| Back P |) osts | | | | | | | | | | | | | | | | | | | | |
| Dacki | | _ | | | | | | | | | | | | | | | | | | | |
| 1118030 | Back Post Styl Push Bar Back | e | | | ☐ 1118 | 2040 | aa Uand | llo Doele | N-+- | | le with He | 4 1 1 | - | . DI-+- | | | | | | | |
| 1118030 | Back Post Heigh | aht | Manaur | ad fram | | | | ile back | NOLC | .оттрацы | ie with ne | aurest ivi | ounting | j Piate. | | | | | | | |
| 1118425 | Short (22") | gnt | weasur | ea rrom | | an to the 1 3431 Tal | | | | | | | | | | | | | | | |
| 1110425 | Seat to Back A | nale | | | | 7-51 101 | 1 (23) | | | | | | | | | | | | | | |
| 1119085 | Set at 85° | g.c | | | ☐ 1119 | 9090 Set | : at 90° | | | | | | | | | | | | | | |
| 1119095 | Set at 95° | | | | | | at 100° | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| Васк | Options | | | | | | | | | | | | | | | | | | | | |
| | Endomorph B | | Backres | st will be | narrower | | | | | elected be | elow. | | | | | | | | | \$ | 395 |
| _ | 1" Offset per side | | | | 1118 | 3103 1.5 | " Offset | per side | 5 | | | 1118104 | 2" O | ffset p | er side | ! | | | | | |
| 1119210 | 10" Backrest E | | | | | | | | | | | | | | | | | | | \$ | |
| 1119212 | Headrest Mou | nting | Plate | ≥ Not i | required if | mounting | g to a solic | d Back. | | | | | | | | | | | | \$ | 95 |
| Back L | Jpholstery | , | | | | | | | | | | | | | | | | | | | |
| | No Back Upho | | , | | | | | | | | | | | | | | | | | | |
| | Tension Adjus | | | | | | | | | | | | | | | | | | | \$ | 375 |
| 1120421 | Regular (18" Heig | | | | 1120 | 0424 Tal | l (22" He | eiaht) | | | | | | | | | | | | • | |
| | Position of Up | | erv | Select th | | | | | oholster | v relative | to the Se | at Pan. | | | | | | | | | |
| | Position of Upholstery Select the desired position of the top of the Upholstery relative to the Seat Pan. 22" Back Post 25" Back Post | | | | | | | | | | | | | | | | | | | | |
| | Style | 17" | 18" | 19" | | 21" 22 | " 23" | 24" | 25" | | Sty | le | 17" | 18" | 19" | 20" | 21" | 22" | 23" | 24" | 25" |
| | Regular | | | | | | | | | | Regu | | | | | | | | | | |
| | Tall | | | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> | <u> </u> | Ta | II | <u> </u> | <u> </u> | | <u> </u> | | | | | |
| D.oI: | | | | | | | | | | | | | | | | | | | | | |
| Reclin | е | | | | | | | | | | | | | | | | | | | | |

Select store location - AADL Numbers

- ☐ Calgary AADL 00000 78000 003
- ☐ Edmonton AADL 00000 78000 001
- ☐ Grande Prairie AADL 0000 665538 001

 $30^{\circ} \, maximum \, recline. \, Not \, compatible \, with \, Backrest \, Extension. \, Reclining \, Backrest \, is \, 1'' \, narrower \, than \, Seat \, Width. \, Back \, Frame \, is \, not \, removable. \, and \, is a compatible of the property of the prop$

\$ 895







| Fron | t Rigging | | |
|--|---|----|------------|
| 112500 | _ | | |
| 112500 | | \$ | 300 |
| | PDG Easy-Out TM Front Rigging Effortless insertion and removal. No Hanger Bracket remains on frame. pdgmobility.com/easy-out | | |
| 112541 | | \$ | 95 |
| | | \$ | 295 |
| | Adjust angle by loosening one bolt. Tool-free leg-length adjustment. | | |
| | Swing Away Front Rigging Legacy Design. Not compatible with Easy-Out. | | |
| 112514 | Swing Away 60° | | |
| 112520 | Swing Away Elevating Legrests Includes Calf Pads. | \$ | 375 |
| Foot | plates | | |
| | | \$ | 185 |
| 112602 | Aluminum Angle Adjustable Footplates | ş | 100 |
| Foot | rest/Legrest Accessories | | |
| 112701 | Oversized 9" x 10" Calf Pad Not compatible with Seat Width of less than 25". | \$ | 695 |
| 112703 | | \$ | 100 |
| 112704 | | \$ | 50 |
| 112705 | | \$ | 325 |
| | | | |
| | | | |
| Fron | Rigging Extension Tubes | | |
| Fron | Rigging Extension Tubes Regular Extension Tubes | | |
| Fron | Regular Extension Tubes | | |
| | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging | \$ | 75 |
| 112801 | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging | \$ | 75 |
| 112801 | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging | \$ | 75 |
| 112801 112802 | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. | \$ | 75 |
| 112801 112802 Misc | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. | | |
| ☐ 112801☐ 112802☐ Misc | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. Planeous Options IV Pole Not compatible with TTDS. | \$ | 295 |
| ☐ 112801☐ 112802☐ Misc | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. IV Pole Not compatible with TTDS. O 2 Holder Not compatible with TTDS. | \$ | 295 395 |
| ☐ 112801☐ 112802☐ Misc | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. Planeous Options IV Pole Not compatible with TTDS. | \$ | 295 |
| ☐ 112801☐ 112802☐ Misc ☐ 113011☐ 113012☐ 113017☐ | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. IV Pole Not compatible with TTDS. O 2 Holder Not compatible with TTDS. | \$ | 295 395 |
| ☐ 112801☐ 112802☐ Misc ☐ 113011☐ 113012☐ 113017☐ | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. IV Pole Not compatible with TTDS. O 2 Holder Not compatible with TTDS. Adhesive Back Hook Strip, 2" x 30" For Cushion mounting. | \$ | 295 395 |
| ☐ 112801☐ 112802☐ Misc ☐ 113011☐ 113012☐ 113017☐ | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. Purpose Not compatible with TTDS. O 2 Holder Not compatible with TTDS. Adhesive Back Hook Strip, 2" x 30" For Cushion mounting. | \$ | 295 395 |
| Misc 113011 113017 On-C | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. IV Pole Not compatible with TTDS. O 2 Holder Not compatible with TTDS. Adhesive Back Hook Strip, 2" x 30" For Cushion mounting. | \$ | 295 395 |
| Misc 113011 113017 On-C | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. Plane ous Options IV Pole Not compatible with TTDS. O 2 Holder Not compatible with TTDS. Adhesive Back Hook Strip, 2" x 30" For Cushion mounting. hair Seating & Positioning Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobilty.com/seating | \$ | 295 395 |
| Misc 113011 | Regular Extension Tubes Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away Front Rigging Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away Front Rigging Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. Plane ous Options IV Pole Not compatible with TTDS. O 2 Holder Not compatible with TTDS. Adhesive Back Hook Strip, 2" x 30" For Cushion mounting. hair Seating & Positioning Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobilty.com/seating | \$ | 295 395 |

Please send your completed order form by email to info@pdgmobility.com or by fax to 877 323 9093.

- ☐ Calgary AADL 00000 78000 003
- ☐ Edmonton AADL 00000 78000 001