





sales@kimobility.com   www.kimob	pility.com		AADL CAT # 151				
Company:			Ship To:				
Account Number:	Date:		Address:				
☐Quote: ☐PO Number:			City:	Province:			
Clinician / Sales Rep:			Postal Code:	Phone:			
Marked For:			Email/Fax:				
Associated Quote/Order#:				Submit Form	Effective: 10/31/2023		
Catalyst 4E300 lb weight capacity		<b> \$1395</b>					
Frame							
Seat Width			Seat Depth				
☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18"		N/C N/C N/C N/C N/C	☐ 16" ☐ 18" ☐ 20" No charge with Hea	avy Duty Option	N/C N/C \$395		
☐ 19" ☐ 20"		\$188 \$395	Heavy Duty Op	tion			
No charge with Heavy Duty Option  □ 21"  Heavy Duty Option required  □ 22"  Heavy Duty Option required	n	N/C	300 lbs 350 lbs Requires minimum Transit Option	6" caster height. Includes Folding Hand	N/C \$925 Ile Rigidizer Bar.		
			☐ Transit System (W	/eight Limit 300lbs) (A1)	\$350		
			Not available with  Omit	Heavy Duty Option	N/C		
Backrest							
Back Post / Height Range	/ Back Height		Back Upholster	У			
Back Post Price	Back Height		If selecting both upholster	ry and Axiom Back, the upholstery will b	e installed		

Back Post / Height Range / Back Height						Back Upholstery	
Back Post	Price			Back Heigl	ht		If selecting both upholstery and Axiom Back, the upholstery will be in
8 Degree Bend with Push Handle	N/C	<b>1</b> 6"	<b>17</b> "	18"	19"	20"	Standard Tension Adjustable Standard Cover
Straight		Short	8.5"	9.5"	10.5"	11.5"	☐ Tension Adjustable with Air Mesh Breathable Cover_☐ Omit
without Push Handle	N/C	Medium	12.5"	13.5"	14.5"	15.5"	
Tianule		Tall	16.5"	17.5"	18.5"	19.5"	C
		Back Height					Stroller Handle
		Short	16"	17"	_		☐ Caregiver Adjustable Height (A1)
Angle		Tall	20"	21"			Available only with Straight without Push Handle backrest
Adjustable w/	\$231	Back Cane Ar	ngle <sup>1</sup>				Available only with straight without Fash Hahale backrest
Push Handle, Fixed Height		90°	95°	100°	105°	110°	
T IACUT ICIGITE		Pivot Point					Rigidizer Bar
		Low Pivot	☐ High <sup>2</sup> Pivot				☐ Folding Handle Rigidizer Bar (A1)

1 If no Back Cane Angle is selected, 95° will be used

2 Moves pivot and back height up 1"

N/C \$175 \$250

-\$10

\$215

\$263







## **Footrest**

Han	ger / Front Frame	Bend					Footp	lates						
☐ 60°	Extension Tube Mount					\$195	☐ Comp	osite						N/C
	Extension Tube Mount Front Mount					\$195				lount Hanger				¢10E
	Front Mount ot available with 7" or 8" Ca.	sters.				\$195		osite Angl available wi		lount Hanger	or 14" Sea	t Width		\$195
	vating Leg Rests (A2)					\$369	☐ Alum	num Angle	e Adjusta	ble (A2)				\$185
⊔ Pro	Elevating Leg Rests (A2	.)				_\$500								
Foot	rest / Extension / S	Seat to	Footrest L	ength										
	n Tube Hangers and Fixed Fr						rame Bend. F	ootrest Leng	th of at lea	ıst 2.5" shorte	er than Fro	nt Seat Height r	ecomme	nded. Comes
with 4-V Foot	Vay-Out Hanger Release. Cla rest Extensi		ger Release is use	d with Elev	ating Leg Res	ts (ELR).		Seat to Foo	trest Len	gth				
Extensio										<b>5</b>				
Hangers (60°,70°)	Long (14" - 20")													
			Standard Se	lections								R	equires 3	" Extension
			4"	4.5"	5"	5.5"	6"	6.5"	7"	T			] 11"	11.5"
Front Mo Hangers		t Hanger	7.5"	8"	8.5"	9"	9.5"	10"	10.5"			Ī	12"	12.5"
			<u></u> 4"	4.5"	5"	5.5"	6"	6.5"	7"	7.5"	8"		13"	13.5"
	Medium Front Mo	unt Hangei	8.5"	9"	9.5"	10"	10.5"	11"	11.5"	12"	12.5"	7 7	] 14"	14.5"
Elevating	ELR Short Extension	on Tube (12	2" - 12"	13"	14"	<b>15</b> "	16"							
Rests (EL		n Tube (13	" - 13"	14"	15"	<b>1</b> 6"	17"	18"						
Extended	ELR Extended Sho Tube (18" - 22")	rt Extensio	n 🔲 18"	19"	20"	21"	22"							
Length (E	ELR Extended Lon Tube (18" - 24")	g Extension	18"	19"	20"	21"	22"	23"	24"					
PRO ELR	PRO ELR Low Pivo (12" - 17.5")	ot Setting S	hort											
Pivot Set	ting PRO ELR Low Pivo (15" - 21")	ot Setting L	ong											
PRO ELR	PRO ELR High Pive (10.5" - 15.5")	ot Setting S	hort											
Pivot Set		ot Setting L	ong											
3" F	xtension						Calf S	trans						_
	Extension					\$69		o Adjustab	lo (A1)					\$44
<b>ப</b> ა :	xtension					\$O7	-	ed Velcro A		e (A1)				\$85
Hee	Loops													
□ Нее	el Loops					\$30								
Resi	dual Limb Support													
[	Limb Support (A2)	Price	Omit	T					Pad S	ize				
Left	Left Limb Support with Smooth Cover	\$450	Omit Left Hanger		(8 Pad Left de	□ <sup>7X1</sup> Side	0 Pad Left	Side 9x10 Pag		9x14 Pad Le		11x10 Pad Left Side	☐ 11x Side	14 Pad Left
Right	Right Limb Support with	\$450	Omit Right	5>	(8 Pad Right		0 Pad Right	9x10 Pag	d Right	9x14 Pad Ri	ght 🗀	11x10 Pad Right		14 Pad Right

A1 = Client's Responsibility

A2 = Clinical Justification







Cast	er Size /	Front Fr	ame T	/pe / Front	Seat Hei	ght								
Caster						Fr	ont S	eat Height						
Size	Uses Super L Housing	ow Caster												
4"	12.5"	13"	13.5	14"	14.5"	15"	15.5"	16"	16.5"	<b>17</b> "	17.5"	18"	18.5"	19"
5"	13.5"	14"	14.5'	<b>15</b> "	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	
5"	14.5"	<b>15</b> "	15.5'	<b>16</b> "	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"		
7"	15.5"	<u> </u>	16.5	<b>17</b> "	17.5"	18"	18.5"	19"	19.5"	20"	20.5"			
3"	16.5"	17"	17.5	18"	18.5"	19"	19.5"	20"	20.5"	21"				
Cast	er Type							Fork Ste	ms					
					Caster Size	e	֓֞֞֝֞֞֝֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡	Standard	l Fork Sten	1				N/0
				Price 4"	5" 6"	7" 8"		3/4" Lon, 1 1/2" Lo	ger Fork S	em				\$4 \$4
ω :	L" Poly			N/C			┧ '	<b>-</b> 1 1/2 LC	niger Fork	Stem				Φ4
Caster Type	L" Pneumatic			\$100			1 1	Caster H	lousing					
ster	L.5" Poly			\$63			i	☐ Super Lo	w Caster H	Housing				\$10
ا ت	L.5" Soft Roll A	Juminum (A1)		\$150				Not available with 350 lb Weight Capacity  ☐ Standard Housing						
								→ Standard	i mousilig_					N/0
Whe	eel Loc	ks and	Opti	ons										
Whe	el Lock							Wheel L	ock Opt	ions				
	h to Lock_					N/	c [	☐ Extensio						\$84
		lush Moun	t			N/9		_		Push to Lock o	or Pull to Lock	Wheel Locks	5	
Pull to Lock					N/9	~ [	∟ Grade Ai Availab		Push to Lock \	Wheel Locks a	nd Pneumat	ic or Pneumat	\$187 ic	
	endant Loc	, , ,				\$23	0	with Air	less Insert ti	res				
V	/heel lock mo	ounted to the	rear of cha	ir										
Rea	r Seat I	Height	and \	Wheels										
Whe	el Size /	Tire Pro	file / R	ear Seat Ho	eight									
Select Re	ear Seat Heig	ht in row corr	esponding	to desired Whee	Size and Tire	Profile. 14" Seat D	epth i	not available w	vith 24", 25"	or 26" wheel	sizes.			
	Wheel		Tire						Rear Seat	Height				
2011		Low		<u> </u>	5"	12.5"		13.5"		14.5"	<u> </u>	.5.5"	16.5	)"°
20"		Full		12"	3	13"		14"		15"	1	.6"	17"	
		Low		12.	5"	13.5"		14.5"		15.5"		.6.5"	17.5	5"
22"														

14"

14.5"

**15**"

**15**"

15.5"

**16**"

**15**"

15.5"

**16**"

**16**"

16.5"

**17**"

16.5"

17"

**17**"

17.5"

**18**"

**17**"

17.5"

18"

**18**"

18.5"

19"

13"

13.5"

14"

**14**"

14.5"

**15**"

A1 = Client's Responsibility

Full

Low

Full

Low

Full

A2 = Clinical Justification

24"

25"

26"

**18**"

18.5"

19"

**19**"

19.5"

20"








			Rear Wheel Size						
		Price	20"	22"	24"	25"	26"		
ar Whe	Spoke	N/C							
	Mag	N/C							
	MAXX Spoke (A1)	\$200							

Rear Tire T
Full Profile
☐ Street Pneur
Not availabl
☐ Full Poly 1 3,
Not availab
Pneumatic w
Not availab

N/C

Rear Tire Type	
Full Profile	
☐ Street Pneumatic 1 3/8"	N/C
Not available on 25" wheel size	
☐ Full Poly 1 3/8"	N/C
Not available on 25" or 26" wheel sizes	
Pneumatic with Airless Insert 1 3/8" (A1)  Not available on 25" wheel size	\$200



**Axle Plates** ☐ Adjustable Axle Plate

Low	Ρ	ro	fil	e

Low Profile	
Low Poly 1"	N/C
Not available on 25" or 26" wheel sizes or Heavy Duty Option	
☐ 1" Solid	N/C
Not available on 20" and 22" Mag wheels	
☐ High Pressure 1" (A1)	\$119
Not available on Mag wheel	
☐ Schwalbe Marathon Plus Evolution 1" (A1)	\$145
Not available on Mag wheel, 20" or 22" wheel sizes	

Handrims	
Standard Handrims	
Aluminum Anadizad	

Aluminum Anodized	N/C
Superlight Aluminum Anodized	\$50
Available only on 24" and 25" MAXX Spoke	
Plastic Coated	\$119
Projection (8 Vertical Projections)	\$299
Available only with full profile tires in combination with 22", 24", and 26"	
MANY Chalco whools or 22" and 24" Mag whools	

MAXX Spoke wheels, or 22" and 24" Mag wheels ☐ Omit Handrim N/C

Ergo Sta	andard R	egular G	r
Ergo Lit	e Extra C	Grip (A1)	

Ergonomic Handrims Not available on 20", 25" or 26" wheels

☐ Ergo Lite Regular Grip (A1)	\$445
☐ Ergo Standard Regular Grip (A1)	\$445
☐ Ergo Lite Extra Grip (A1)	\$495
☐ Ergo Standard Extra Grip (A1)	\$495
☐ Ergo Lite Omit Grip (A1)	\$345
☐ Ergo Standard Omit Grip (A1)	\$345

## **Axles**

Axles	
Quick Release	N/C
Fixed	N/C
Quad Quick Release (A2) Not available with Mag wheel	\$219
Not available with Mag wheel	

## **Armrests**

Armrests	
☐ Height Adjustable T-Arm Desk (8.5" - 13.5")	\$295
☐ Height Adjustable T-Arm Full (8.5" - 13.5")	\$295
☐ Height Adjustable Flip Back T-Arm Desk (9.5" - 13.5")	\$295
☐ Height Adjustable Flip Back T-Arm Full (9.5" - 13.5")	\$295
Omit	N/C

A1 = Client's Responsibility

A2 = Clinical Justification







## **Accessories**

Pelvic Positioning Belt		Other Accessories	
1 1/2" Auto Buckle Pelvic Positioning Belt 1 1/2" Padded Auto Buckle Pelvic Positioning Belt (A1) 2" Airline Buckle Pelvic Positioning Belt (A1) Small Bodypoint Evoflex (16-24") (A1) Medium Bodypoint Evoflex (19-29") (A1)	\$22 \$170 \$150 \$219 \$219	<ul> <li>□ Tool Kit (A1)</li> <li>□ Removable Underseat Pouch (A1)</li> <li>□ Ki Mobility Backpack (A1)</li> <li>□ Black Neoprene Impact Guards</li> <li>□ Velcro Closing Strap</li> </ul>	\$60 \$75 \$90 \$95
☐ Large Bodypoint Evoflex (25-37") (A1) ☐ Belt Mounting Hardware	\$219 N/C	Clear Spoke Guards (A1) Not available with Mag wheel	\$144
O2 Holder  □ O2 Holder - Left Side □ O2 Holder - Right Side	\$110 \$110	□ Cane and Crutch Holder     □ Step Tube - Left Side (A1)     Not available with Transit Wheels or Heavy Duty Option     □ Step Tube - Right Side (A1)     Not available with Transit Wheels or Heavy Duty Option	\$110 \$60 \$60
Anti-Tip		Step Tube - Pair (A1) Not available with Transit Wheels or Heavy Duty Option	\$120
Rear Anti-Tips	\$110	Gel Pad Cover (A1)	\$486
Frame Color			
☐ Black ☐ Blue	N/C N/C		





CATALYST 4<sup>E</sup>

Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

	4" Caster 5" Ca			aster		6" Caster				7" Caster				8" Caster								
FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super	Stem	Fork			
13.5	12.5	64		14.50	13.50	Std	15.5	14.5	Std		n/a	15.5	Std	5°	17.5	17	Std					
14	13	Std		15.50	n/a	n/a 3/4 4"	16	n/a	3/4 5"	16.5	15.5	01.1		18.5	n/a	3/4	6"					
141	n/a			16	n/a	1 1/2	1 1/2	17	n/a	1 1/2		17	16	Std		19	n/a	1 1/2				
14.5	n/a	3/4	4"	14.5 13.5 15 14 Std		15.5	14.5			17	n/a	3/4 €		17.5	16.5							
15	n/a					16	15	Std		17.5	n/a		6"	18	17							
15.5	n/a	1 1/2	1/2	15.5	n/a			16.5	15.5			18	n/a		18.5	17.5	Std					
14	13			16	n/a	3/4	5"	16.5	n/a			18.5	n/a	1 1/2		19	18					
14.5	13.5	Std		16	n/a			17	n/a	3/4	6"	17	16			18.5	n/a					
15	n/a			16.5	n/a	1 1/2		17.5	n/a			17.5	16.5			19	n/a					
15.5	n/a	3/4	5"	15 14		17	n/a			18	17	Std		20	n/a	3/4	7"					
15.5	n/a			15.5	14.5	Std		17.5	n/a	1 1/2	18.5	17.5			n/a	n/a						
16	n/a	1 1/2		16	15	1		18	n/a			17.5	n/a			19	n/a					
15	14			16	n/a	3/4 6"	16.5	15.5			18	n/a			19.5	n/a						
15.5	14.5	Std		16.5	n/a		6"	17	16	Std		18.5	n/a	3/4	7"	20	n/a	1 1/2				
16	n/a			17	n/a			17.5	16.5			19	n/a			20.5	n/a					
16.5	n/a	3/4	6"	16.5 n/a	$\neg$		18	17			18.5	n/a		1	21	n/a						
16.5	n/a			17	n/a	1 1/2	/2	17	n/a			19	n/a	1 1/2								
17.0	n/a	1 1/2		17.5	n/a			17.5	n/a			19.5	n/a									
16.5	15.5	22179				16.5 15.5			18	n/a	3/4	7"	20	n/a								
17	16	Std		17	16	Std		18.5	n/a			20.5	n/a									
17	n/a	200					17.5	17.5 16.5			18	n/a										
17.5	n/a	3/4	7"	17 n/a		18.5	n/a															
18	n/a	12 (147)	/2	17.5	n/a	/a 7"	19	n/a	1 1/2													
18.5	n/a	1 1/2		18	n/a		19.5	n/a														
19	n/a			18	n/a			20	n/a													
			18.5 n/a																			
				19	n/a	1 1/2																
						1																

Not available with 4 x 1.5" Soft Roll Aluminum

Seat heights with "FSH" heading available with Standard Caster Housing. Seat heights with "Super Low" heading available with Super Low Caster Housing. Actual seat height may vary depending upon configuration.